

# Product data sheet

Specifications



remote terminal, Altivar, for variable speed drive, IP54

VW3A1006

## Main

Range of product	Altivar
Accessory / separate part type	Remote terminal
Accessory / separate part category	Display and signalling accessory
Accessory / separate part destination	Variable speed drive
Range compatibility	Altivar Machine ATV320 Altivar 32 Altivar 12 Easy Altivar 310 Altivar 312 Solar Altivar 312
IP degree of protection	IP54

## Complementary

Mounting location	Door of enclosure
Net weight	0.25 kg

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	66.0 g
Package 1 Height	4.6 cm
Package 1 width	6.7 cm
Package 1 Length	8.7 cm
Unit Type of Package 2	S03
Number of Units in Package 2	90
Package 2 Weight	6.725 kg
Package 2 Height	30.0 cm
Package 2 width	30.0 cm
Package 2 Length	40.0 cm

Offer Sustainability

REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a>
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

Contractual warranty

Warranty	18 months
----------	-----------

Dimensions

